

**econfidence**<sup>®</sup>  
from DyStar<sup>®</sup> 

**DyStar**<sup>®</sup> 

# **Remazol<sup>®</sup> Onyx RGB**

Balanced dye for Deepest Blacks





**Black shades require high amounts of dyes. The new Remazol<sup>®</sup> Onyx RGB is a highly concentrated Black with outstanding properties**

- ✓ White dischargeable in all color depths
- ✓ Very low staining of polyamide in fiber blends
- ✓ Medium substantivity for reliable dyeing results

**Remazol Onyx RGB can be used in all Remazol, Remazol RGB / Remazol Ultra RGB combinations**

**The new, innovative Remazol Onyx RGB offers optimum solution exhaust and padding application when deepest Blacks are required**

**The advantages of Remazol Onyx RGB at a glance**

**Color Confidence<sup>®</sup>**

- ✓ Neutral to reddish shade
- ✓ Low staining of polyamide in fiber blends
- ✓ White dischargeable in all color depths

**Controlled Coloration<sup>®</sup>**

- ✓ Very good reproducibility and levelness
- ✓ Balanced migration behavior
- ✓ Flexible use in exhaust, cold pad-batch and continuous processes
- ✓ Good wash-off behavior

**Remazol Onyx RGB econfidence<sup>®</sup> facts**

- ✓ AOX free
- ✓ Metal free
- ✓ Full compliance with Oeko-Tex<sup>®</sup> Standard 100
- ✓ Meets all Restricted Substance Lists (RSL)
- ✓ Applied for GOTS approval
- ✓ Submitted to bluesign<sup>®</sup>
- ✓ Retailer brand image

**For Deep Black shades in exhaust process:**

Minimum recommended salt amount is 80 g/l in LR 10:1.  
In general mix alkaline (soda ash/caustic soda) leads to deeper shades.

**Remazol<sup>®</sup> Onyx RGB:**  
For deepest Blacks with neutral to reddish shade

## Remazol® Onyx RGB : Technical Properties

3.0%

6.0%

Suitability for processes	3.0%	6.0%
✓ Exhaust dyeing process	✓ Pad-dry-pad-steam process	✓ Econtrol® process
✓ Cold pad-batch process	✓ Pad-dry-steam process	✓ Pad-dry-thermofix process
	✓ Pad-steam process	✓ TTN process

Solubility under neutral dyeing conditions					
Neutral substantivity	Medium	Glauber's salt		Common salt	
Reactivity	Medium	50 g/l	80 g/l	50 g/l	80 g/l
Fixation value	80%	15	15	15	15

Selected fastness properties (on bleached, mercerized woven cotton fabric)			
Standard depth	Black	1/1	1/3
Light fastness ISO 105-B02	4	3-4	3-4
Nike® PLF alk. (ISO 105-B07)	4-5	4	
Fastness to activated bleach detergents (ISO 105-C09)	3-4 R		

Standard Depth 1/1	F	CTA	CA	CO	PA 6.6	PES	PAN	CV	WO
Home laundry / washing 50°C / ISO 105-C06-B2S	4-5		5	5	5	5	5		5
Home laundry / washing 60°C / ISO 105-C06-C2S	4-5	5		5	5	5	5	5	
Nitrogen fastness ISO 105-G01 3x	4-5								
Chlorine fastness ISO 105-E03 (20 ppm)	3R								


### Staining to multifiber during standard dyeing process

CO	
PA 6.6, filament	
PA 6.6, staple fiber	
CA	
CTA	
WO	
PES	
PAN	
CV	
CO bleached, merc.	

### Alkaline Dischargeability (on CPB dyeing with 50 g/l)



White dischargeability



Color dischargeability

Recipes for dischargeability		white	colored
Sera® Print M-CAM 11%	g	550	550
Demineralized water, cold	g	250	250
Rongalit® C	g	160	160
Potash	g	130	120
Indanthren® Yellow 5GF sfx 1	g	-	60
Balance (viscosity approx. 35 d. Pa.s)	g	110	60
		1000g	1000g

Very low staining to non-cellulosic fibers

Fully white dischargeable

*Sustainability is our responsibility.* At DyStar, our products and services help customers worldwide reduce costs, shorten lead times and meet stringent quality and ecological specifications.

#### Bangladesh

DyStar Singapore Pte. Ltd.  
(Liaison Office)  
House No. 257 (2nd Floor, B2)  
Navana Ville Akbar, Road No :19/A  
New DOHS, Mohakhali, Dhaka-1206  
Tel: + 88 02 875 16 40  
Fax: + 88 02 875 16 41  
DyStar.Bangladesh@DyStar.com

#### Brazil

DyStar Indústria e Comércio  
de Produtos Químicos Ltda.  
Av. Eng° Luis Carlos Berrini, 1645  
11° andar, Cidade Monções  
CEP 04571-011. São Paulo / SP  
Tel: +55 11 55 08 36 84  
Fax: +55 11 55 08 36 23  
DyStar.Brazil@DyStar.com

#### China/Hong Kong

DyStar China Ltd.  
Room 2503, 9 Chong Yip Street  
Kwun Tong, Kowloon, Hong Kong  
Tel: +852 29 55 33 88  
Fax: +852 29 55 11 88  
DyStar.China@DyStar.com

#### China/Shanghai

DyStar (Shanghai) Trading Co. Ltd.  
6F, Building No. 20  
201 Min Yi Road, Songjiang District  
Shanghai 201612  
Tel: +86 21 37 74 63 38  
Fax: +86 21 37 74 63 39  
DyStar.China@DyStar.com

#### Egypt

DyStar Kimya Sanayi Ve Ticaret Ltd.  
8, Abdel Rahman Ibn Ouf Str  
Heliopolis, Cairo  
Tel: +20 2 26 24 35 78  
Fax: +20 2 26 24 35 81  
DyStar.Egypt@DyStar.com

#### Germany / North Central Europe


DyStar Colours Distribution GmbH  
Industriepark Hoechst, Bldg. B 598  
65926 Frankfurt am Main  
Tel: +49 69 21 09 0  
Fax: +49 69 21 09 20 00  
DyStar.Germany@DyStar.com

#### India

DyStar India Pvt. Ltd.  
Plot No. R-855  
TTC Industrial Area  
Rabale, P.O. Ghansoli  
Navi Mumbai - 400 701  
Tel: +91 22 61 41 90 00  
Fax: +91 22 61 41 90 10  
DyStar.India@DyStar.com

#### Indonesia

PT DyStar Colours Indonesia  
Menara Global Building 22nd Floor  
Jl. Jend. Gatot Subroto Kav. 27  
Jakarta 12930, Indonesia  
Tel: +62 21 527 05 50  
Fax: +62 21 527 05 20  
DyStar.Indonesia@DyStar.com



▲ Global Headquarters  
● DyStar Office  
■ Key Production Site  
Agencies in 50 other countries

#### Italy

DyStar Italia S.r.l.  
Via delle Groane 126  
20024 Garbagnate Milanese (MI)  
Tel: +39 02 99 44 01  
Fax: +39 02 99 02 83 91  
DyStar.Italy@DyStar.com

#### Japan

DyStar Japan Ltd.  
7-20, Azuchimachi I-chrome  
Chuo-ku, Osaka 541-0052  
Tel: +81 6 62 63 66 72  
Fax: +81 6 62 63 66 91  
DyStar.Japan@DyStar.com

#### Korea

DyStar Korea Ltd.  
Jin Wha Bldg. 2nd and 3rd fl.  
#756-1, Gojan-dong Danwon-gu  
Ansan City Kyunggi-do, South Korea  
Tel: +82 2 34 52 78 78  
Fax: +82 2 34 52 78 76  
DyStar.Korea@DyStar.com

#### Mexico

DyStar de México S. de R.L. de C.V.  
Av. Insurgentes Sur 1685  
Int. 504 Col. Guadalupe Inn  
Del Alvaro Obregón CP  
01020 México D.F.  
Tel: +52 55 53 22 51 00  
Fax: +52 55 56 62 56 18  
DyStar.Mexico@DyStar.com

#### Pakistan

DyStar Pakistan (Pvt) Ltd.  
217, Dehli Mercantile Co-operative  
Housing Society, Sirajudulla Road  
Karachi - 74800  
Tel: +92 21 34 55 69 95-7  
Fax: +92 21 34 55 57 58  
DyStar.Pakistan@DyStar.com

#### Portugal / Spain

DyStar Iberica  
Unipessoal, Lda.  
Rua Manuel Pinto de Azevedo, 626  
4100-320 Porto  
Tel: +351 22 615 31 80  
Fax: +351 22 615 31 90  
DyStar.Portugal@DyStar.com

#### South Africa

DyStar Boehme Africa (Pty) Ltd.  
27 Sheffield Road  
Willowton, Pietermaritzburg, 3201  
P.O. Box 1845, Pietermaritzburg, 3200  
Tel: +27 33 390 81 00  
Fax: +27 33 390 23 18  
DyStar.Boehme.Africa@DyStar.com

#### Taiwan

DyStar Taiwan Ltd.  
5th Fl., No. 196, Sec. 2  
Chien Kuo N. Road, 104 Taipei  
Tel: +886 2 25 16 37 77  
Fax: +886 2 25 16 81 99  
DyStar.Taiwan@DyStar.com

#### Thailand

DyStar Thai Ltd.  
150 Moo 8, Soi Praekasar  
Sukhumvit Road  
T. Taiban, A. Muang  
Samutprakarn 10280  
Tel: +66 2 701 48 05-8  
Fax: +66 2 701 32 59, 701 48 09  
DyStar.Thai@DyStar.com

#### Turkey

DyStar Kimya San. Tic. Ltd. Sti.  
Mecidiye Mahallesi  
Cenap Sahabettin Sok. No.24  
34718 Kosuyolu - Kadiköy / Istanbul  
Tel: +90 216 544 15 00  
Fax: +90 216 339 90 61  
DyStar.Turkey@DyStar.com

#### USA

DyStar L.P.  
9844-A Southern Pine Boulevard  
Charlotte, NC 28273  
Tel: +1 704 561 30 00  
Fax: +1 704 561 30 05  
DyStar.USA@DyStar.com

Information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to check its validity and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with our General Conditions of Sale and Delivery.

bluesign is a trade mark of bluesign technologies ag.  
Oeko-Tex is a trade mark of Forschungsinstitut Hohenstein.  
Nike is a trade mark of Nike International Ltd.

DyStar

Remazol, "Color Confidence" and "Controlled Coloration" are trade marks of DyStar Colours Distribution GmbH

#### Global Headquarters - Singapore

DyStar Singapore Pte Ltd  
1A International Business Park  
#10-01, Singapore 609933  
Tel: +65 66 71 28 00  
Fax: +65 66 59 13 28  
DyStar.Singapore@DyStar.com  
www.DyStar.com

**DyStar**